



N E W S L E T T E R



Aginet

Omada
by tp-link

tapo
by tp-link

VIGI
by tp-link





Smarter Network Management. Better Customer Experiences.

TP-Link Aginet Solution is a comprehensive platform designed to help Internet Service Providers simplify network deployment, management and customer support. Bringing together TAUC, Aginet ACS, Aginet Config and the Aginet App, the solution provides centralised tools for managing customer premises equipment, configuring devices, monitoring network performance and resolving connectivity issues remotely.

With support for industry standards such as TR-369 and TR-069, Aginet enables efficient device provisioning, zero-touch deployment, remote diagnostics, firmware management and automated maintenance. ISPs can streamline day-to-day operations, reduce the need for on-site technical support and respond to customer issues more efficiently.

Aginet also helps service providers deliver a more personalised and reliable connectivity experience by providing greater visibility and control across customer networks. From initial deployment through to ongoing network optimisation, TP-Link Aginet Solution gives ISPs the tools needed to improve operational efficiency, lower support costs and deliver dependable, high-quality broadband services at scale.

EX521 AX3000 Dual-Band Wi-Fi 6 Router



NET-TL-EX521

The EX521 delivers dual-band Wi-Fi 6 speeds of up to 3,000Mbps for smooth streaming, gaming and everyday connectivity. Four high-performance antennas, Beamforming, OFDMA and MU-MIMO provide stronger coverage and support more connected devices. EasyMesh compatibility enables seamless whole-home coverage, while Gigabit Ethernet, WPA3 security and Aginet management provide reliable network performance and control.

XZ000-G6 1-Port Gigabit XPON Terminal



NET-XZ000-G6

The XZ000-G6 is a compact XPON terminal designed for high-speed fibre-to-the-home connections. Supporting both GPON and EPON modes, it offers flexible service-provider compatibility and automatic mode detection. One PON port and one Gigabit LAN port deliver fast wired connectivity, while OMCI support enables convenient centralised remote configuration and management.

DS-P7001-04 DeltaStream 4-Port Pizza-Box GPON Optical Line Terminal



NET-DS-P7001-01

The DS-P7001-04 is a compact, rack-mountable GPON Optical Line Terminal designed for service-provider fibre networks. Four GPON ports support up to 512 ONTs, while 10Gbps SFP+ and Gigabit uplink ports provide high-speed network connectivity. Dual AC and DC power supplies enhance reliability, with centralised management available through DPMS, SNMP, CLI and the web interface.

XC220-G3 AC1200 Wireless XPON Router



NET-XC220-G3V

The XC220-G3 combines GPON and EPON fibre access with AC1200 dual-band Wi-Fi speeds of up to 1.2Gbps. Two Gigabit LAN ports provide fast wired connections, while MU-MIMO, Beamforming and EasyMesh compatibility help deliver stable coverage across the home. WPA3 security, IPTV support and Aginet remote management provide enhanced protection and convenient network control.

DS-PMA-C+ SFP GPON Class C+ Module



NET-DS-PMA-C-PLUS

The DS-PMA-C+ is a hot-pluggable single-fibre GPON SFP Class C+ module designed for compatible TP-Link GPON OLTs. It supports transmission speeds up to 2.488Gbps and receive speeds up to 1.244Gbps across distances up to 20km. Digital Diagnostic Monitoring tracks key parameters such as voltage, optical power and temperature for reliable fibre network operation.

EX521 AX3000 Dual Band Wi-Fi 6 Router



NET-TL-EX521

The EX521 delivers dual-band Wi-Fi 6 speeds up to 3.0Gbps, with OFDMA and MU-MIMO supporting more device connections. Four high-performance antennas with Beamforming extend reliable wireless coverage, while Gigabit Ethernet provides fast wired networking. EasyMesh enables seamless whole-home coverage, with WPA3 security, parental controls, Aginet app setup and remote management for convenient network control.



EAP723 BE5000 4-Stream Ceiling Mount Dual-Band Wi-Fi 7 Access Point

The EAP723 delivers dual-band Wi-Fi 7 speeds of up to 5.0Gbps with Multi-Link Operation and 4K-QAM for fast, responsive wireless performance. A 2.5GbE PoE+ port supports high-speed wired connectivity and flexible installation, while Omada Mesh, seamless roaming and centralised management simplify deployment across business networks.

NET-EAP723



ER706WP-4G AX3000 4G+ CAT6 Wi-Fi 6 Gigabit VPN Gateway with 4-Port PoE+

The ER706WP-4G combines 4G+ CAT6 speeds of up to 300Mbps with AX3000 dual-band Wi-Fi 6 for reliable business connectivity. Four Gigabit PoE+ ports with a 45W PoE budget simplify device deployment, while dual Nano SIM slots support LTE failover. Multi-WAN load balancing, comprehensive VPN support and centralised Omada cloud management provide flexible, secure network control.

NET-TL-ER706WP-4G



EAP773 BE11000 6-Stream Ceiling Mount Tri-Band Wi-Fi 7 Access Point



NET-EAP773

The EAP773 delivers tri-band Wi-Fi 7 speeds of up to 11Gbps with 320MHz channels, Multi-Link Operation and 4K-QAM for fast, low-latency connectivity. A 10GbE port and PoE+ support enable high-speed, flexible deployment, while Omada Mesh, seamless roaming and centralised cloud management provide reliable coverage and simplified network control for demanding business environments.

EAP787 BE15000 8-Stream Ceiling Mount Tri-Band Wi-Fi 7 Access Point



NET-EAP787

The EAP787 delivers tri-band Wi-Fi 7 speeds of up to 15Gbps with 320MHz channels, Multi-Link Operation and 4K-QAM for ultra-fast, low-latency connectivity. A 10GbE PoE++ port supports high-speed deployment, while dedicated RF scanning helps identify interference and optimise performance. Omada Mesh, seamless roaming and centralised management provide reliable coverage and simplified control for demanding business environments.

SG5428XMPP 24-Port Gigabit Stackable Lite L3 Managed PoE++ Switch with 4x 10G Slots



NET-TL-SG5428XMPP

The SG5428XMPP features 8x Gigabit PoE++ ports, 16x Gigabit PoE+ ports and 4x 10Gbps SFP+ slots for high-performance business networking. A total PoE budget of up to 500W supports demanding powered devices, while physical stacking of up to four units improves scalability and redundancy. Advanced Layer 3 routing, enhanced security features and centralised Omada SDN cloud management provide flexible, reliable network control.

SG3210XHP-M2 8-Port 2.5G and 2-Port 10GE SFP+ Switch with 8-Port PoE+



NET-TL-SG3210XHP-M2

The SG3210XHP-M2 features 8x 2.5Gbps PoE+ ports and 2x 10Gbps SFP+ uplink slots for high-performance business networks. A 240W PoE budget supports access points, cameras and other powered devices, while static routing, advanced security and QoS enhance network efficiency. Omada SDN integration enables centralised cloud management, remote access and multi-site control.

EAP211-Bridge KIT 5GHz 867Mbps Indoor/Outdoor Wireless Bridge



NET-EAP211-BRIDGEKIT

The EAP211-Bridge KIT delivers 5GHz wireless speeds of up to 867Mbps with long-range transmission of up to 1km. Auto-pairing and alignment indicators simplify deployment, while three Gigabit Ethernet ports support additional network devices. An IP65 weatherproof enclosure, 6kV lightning protection, Passive PoE support and Omada centralised management provide reliable performance for indoor and outdoor point-to-point or point-to-multipoint connections.

EAP100-Bridge KIT 2.4GHz 300Mbps Indoor/Outdoor Wireless Bridge



NET-EAP100-BRIDGE-KI

The EAP100-Bridge KIT delivers 2.4GHz wireless speeds of up to 300Mbps with transmission distances of up to 500m. Preconfigured auto-pairing and app-guided alignment simplify installation, while three Fast Ethernet ports support additional network devices. Flexible PoE and DC power options, an IP65 weatherproof enclosure and Omada centralised management provide dependable indoor and outdoor connectivity.





Archer BE220 BE3600 Dual-Band Wi-Fi 7 Router



NET-ARCHER-BE220

The Archer BE220 delivers Wi-Fi 7 speeds up to 3.6Gbps with Multi-Link Operation, 4K-QAM and Multi-RUs for faster, lower-latency connections. Four external Beamforming antennas provide stronger coverage, while one Gigabit WAN and four Gigabit LAN ports support reliable wired networking. EasyMesh, WPA3, VPN support and TP-Link HomeShield provide seamless coverage, security and easy network management.

Archer BE550 BE9300 Tri-Band Wi-Fi 7 Router



NET-ARCHER-BE550

The Archer BE550 delivers tri-band Wi-Fi 7 speeds up to 9.2Gbps with Multi-Link Operation, 320MHz channels and 4K-QAM for fast, low-latency connectivity. 5x 2.5Gbps Ethernet ports provide high-speed wired networking, while 6x antennas with Beamforming strengthen coverage. EasyMesh, WPA3, VPN support and TP-Link HomeShield provide seamless connectivity, enhanced protection and convenient network management.

Deco BE25 BE3600 Whole Home Mesh Wi-Fi 7 System (2-Pack)



NET-TL-DECO-BE25-2PK

The Deco BE25 delivers dual-band Wi-Fi 7 speeds up to 3.6Gbps with Multi-Link Operation and 4K-QAM for reliable connectivity. 2x 2.5Gbps WAN/LAN ports per unit provide high-speed wired networking, while wired and wireless backhaul improve performance. AI-driven roaming and TP-Link HomeShield provide whole-home coverage, enhanced security and convenient network management.

Deco BE85 BE19000 Tri-Band Whole Home Mesh Wi-Fi 7 System (2-Pack)



NET-TL-DECO-BE85-2PK

The Deco BE85 delivers tri-band Wi-Fi 7 speeds up to 19Gbps with Multi-Link Operation, 320MHz channels and 4K-QAM for fast, low-latency connectivity. 2x 10Gbps and 2x 2.5Gbps ports per unit provide flexible multi-gigabit networking, while wired and wireless backhaul improve performance. AI roaming and TP-Link HomeShield provide smooth coverage, enhanced security and convenient network management.

Archer TBE400UH BE6500 Wi-Fi 7 High Gain Wireless USB Adapter



COMING SOON

The Archer TBE400UH delivers tri-band Wi-Fi 7 speeds up to 6.5Gbps across the 2.4GHz, 5GHz and 6GHz bands. Multi-Link Operation, OFDMA, MU-MIMO and Multi-RU improve efficiency and reduce latency, while dual high-gain antennas with Beamforming strengthen wireless reception. USB 3.0 connectivity, a flexible 1.2m cradle, WPA3 security and plug-and-install setup provide fast, convenient connectivity for compatible Windows PCs.

TX401 10 Gigabit PCI Express Network Adapter



NET-TX401

The TX401 upgrades compatible desktop PCs with wired network speeds up to 10Gbps, ideal for high-speed internet, NAS access and large local file transfers. Its 10GBASE-T connection automatically supports 10Gbps, 5Gbps, 2.5Gbps, 1Gbps and 100Mbps networks. A 1.5m CAT6A Ethernet cable, standard and low-profile brackets, and broad Windows and Linux support provide flexible installation and reliable multi-gigabit connectivity.



tapo
by tp-link



RV50 Pro Omni Robot Vacuum & Mop and Advanced Self-Cleaning Docking Station

The RV50 Pro Omni delivers powerful 15,000Pa suction with dual spinning mops and DeepEdge adaptive mopping for thorough floor cleaning. Dual-laser obstacle avoidance and LiDAR navigation provide precise movement, while the advanced dock automatically empties dust, washes mops with 60°C hot water, dries them with warm air and dispenses detergent. Auto mop removal, a tangle-free cutting brush and up to 250 minutes of runtime provide highly automated, hands-free cleaning.

NET-TL-TAPO-RV50-P-O



C425 KIT Solar-Powered Security Camera Kit



NET-TL-TAPO-C425KIT

The C425 KIT delivers crisp 2K QHD video with a 142° super-wide field of view and full-colour night vision for clear monitoring day and night. Continuous solar charging and a long-lasting rechargeable battery provide convenient wire-free operation, while AI detection identifies people, pets and vehicles. An IP66 weatherproof design, two-way audio and local microSD storage up to 512GB provide reliable outdoor security without requiring a hub.

C460 KIT Solar-Powered Security Camera Kit



NET-TL-TAPO-C460KIT

The C460 KIT delivers detailed 4K 8MP video with starlight colour night vision for clear monitoring day and night. Continuous solar charging and a rechargeable battery enable flexible wire-free installation, while AI detection identifies people, pets and vehicles. Dual-band Wi-Fi, two-way audio, up to 512GB microSD storage and IP66 weather resistance provide reliable outdoor security.

H200 Smart Hub



NET-TL-TAPO-H200

The H200 connects up to 64 smart sensors, switches or buttons plus four compatible cameras or video doorbells for centralised smart home control. It features a built-in alarm and chime with 19 ringtones, low-power wireless connectivity and local microSD storage up to 512GB. Smart actions and voice control with Amazon Alexa and Google Home provide convenient automation throughout the home.

T110 Smart Contact Sensor



NET-TL-TAPO-T110

The T110 monitors doors, windows, cabinets and drawers, sending instant alerts when they open or close. It can trigger compatible Tapo devices, such as lights or supported pan/tilt cameras. Easy 3M adhesive installation and a CR2032 battery lasting up to two years make it a simple, low-maintenance addition to your Tapo smart home. A compatible Tapo Hub or HomeBase is required.

T310 Smart Temperature & Humidity Sensor



NET-TL-TAPO-T310

The T310 monitors temperature and humidity with a high-precision Swiss-made sensor, refreshing readings every two seconds. App alerts notify you when conditions exceed preset ranges, while smart automation can trigger compatible Tapo devices. Up to two years of data storage, flexible placement and two-year battery life make it ideal for rooms, offices, greenhouses and more. A compatible Tapo Hub is required.

RV20 Max Plus 5300Pa Suction MagSlim™ LiDAR Navigation Robot Vacuum and Mop



NET-TAPO-RV20MXP-WH

The RV20 Max Plus combines 5300Pa suction with vacuuming and mopping for efficient everyday cleaning. MagSlim™ LiDAR navigation creates precise maps and optimised routes, while the ultra-slim 83mm design reaches beneath furniture. The 3L auto-empty dock stores debris for up to two months, while custom room cleaning, no-go zones, carpet avoidance and automatic recharge-and-resume enable hands-free cleaning.



VIGI
by tp-link





NVR1004H-4P 4-Channel PoE+ Network Video Recorder



CAM-NVR-NVR1004H-4P

The NVR1004H-4P provides reliable 4-channel surveillance with four integrated PoE+ ports and a total 53W PoE budget for simplified camera installation. It supports 4K HDMI output, 4-channel synchronous playback and H.265+ compression for efficient video storage. A SATA interface supports an HDD capacity of up to 10TB, while remote monitoring enables convenient access to your security system from compatible devices.

InSight S345ZI 4MP Outdoor IR Motorised Varifocal Bullet Network Camera



CAM-S345ZI

The InSight S345ZI delivers clear 4MP surveillance with a motorised varifocal lens and 5× optical zoom for flexible viewing. Up to 60m IR night vision, human and vehicle classification and smart detection help provide accurate monitoring day and night. Its IP67 weatherproof and IK10 vandal-resistant design, PoE support and H.265+ compression ensure dependable, professional outdoor security.

C540V 4MP Outdoor Full-Color Dual-Lens Varifocal Pan Tilt Network Camera



CAM-C540V

The C540V delivers clear 4MP surveillance with a dual-lens varifocal system, 3× zoom and instant zoom for flexible monitoring across wide areas. 24-hour full-colour imaging, human and vehicle classification, smart detection and auto tracking help improve security accuracy. Active defence, two-way audio, H.265+ compression and an IP66 weatherproof design provide reliable outdoor protection.

NVR1008H-8P 8-Channel PoE+ Network Video Recorder



CAM-NVR-NVR1008H-8P

The NVR1008H-8P provides reliable 8-channel surveillance with eight integrated PoE+ ports and a 53W PoE budget for simplified installation. It supports 4K HDMI output, up to 8MP video input and H.265+ compression for efficient storage. With up to 10TB HDD support, ONVIF compatibility and remote monitoring via the VIGI app, web UI and VIGI Security Manager, it offers flexible security management for small businesses.

InSight S485PI 8MP IR Panoramic Turret Network Camera



CAM-S485PI

InSight S485PI delivers 4K 8MP surveillance with a 180° panoramic field of view for broad-area monitoring. Up to 20m IR night vision, people and vehicle analytics, smart detection and human and vehicle classification provide accurate security monitoring. Red-blue warning lights, two-way audio, H.265+ compression and an IP67 weatherproof, IK10 vandal-resistant design ensure dependable indoor and outdoor protection.

InSight S385DPS 8MP Outdoor ColorPro Panoramic Bullet Network Camera



CAM-S385DPS

The InSight S385DPS combines dual-lens stitched panoramic imaging with 8MP resolution to deliver a seamless 180° field of view. Ultra-low-light ColorPro night vision, people and vehicle analytics, smart detection and human and vehicle classification enhance monitoring accuracy. Red-blue warning lights, sound alerts, H.265+ compression and an IP67 weatherproof, IK10 vandal-resistant design provide dependable outdoor security.



WE SINCERLY THANK YOU FOR YOUR CONTINUED SUPPORT

Please click the link below to view our catalogue.

Download



Cape Town

Tel: +27 (0)21 514 4800
Fax +27 (0)21 511 1433
sales@linkqage.co.za
salesCPT@linkqage.co.za

Durban

Tel: +27 (0)31 020 0271
Fax +27 (0)21 511 1433
salesDBN@linkqage.co.za

Mbombela (NLP)

Tel: +27 (0)13 010 1710
Fax +27 (0)21 511 1433
salesNLP@linkqage.co.za

Gqeberha (PE)

Tel: +27 (0)41 393 4300
Fax +27 (0)21 511 1433
salesPE@linkqage.co.za

Johannesburg

Tel: +27 (0)11 695 2600
Fax +27 (0)21 511 1433
salesJHB@linkqage.co.za

Bloemfontein

Tel: +27 (0)51 250 1250
Fax +27 (0)21 511 1433
salesBFN@linkqage.co.za

32 Gold St, Brooklyn
Northgate Estate
Cape Town
7405

28 Boulevard Business Park
14 Belladonna Rd, Cornubia
Durban
4339

Unit B2 Waterfall Park
Riverside Industrial
Mbombela
1200

48 Newton St
Newton Park
Gqeberha
6045

Sagewood Corner
Cnr Douglas & 16th Rd
Midrand
1683

24 Markgraaff St
Bloemfontein Central
Bloemfontein
9301